

Press report

Safety first

BITO have considerably extended their range of products in the field of Identification & Safety

Workplace safety is essential. For this reason, it is important to clearly mark hazard areas and to minimise risks by implementing protective measures.

BITO-Lagertechnik Bittmann GmbH, primarily specialising in sophisticated shelving and racking as well as storage, order picking and transport solutions, have added many useful products to their identification & safety range to help you avoid accidents.

BITO are able to provide the suitable safety solution for every application. Shock absorbing edge and corner buffering protect operators, equipment as well as storage and warehouse facilities. Made from temperature resistant and long lasting polyurethane foam (suited for temperatures between -40° C to +100° C), the buffer systems are appropriate for indoor and outdoor use and are fire retardant to DIN 4102 B2. BITO's choice of yellow/black sections comes in various shapes (flat, angled or grooved underside). The self-adhesive protection and hazard warning sections adhere to almost any underground. In order to ensure fast assembly, round back and tri-directional edge buffering are available as push-fit versions. If required, the buffering sections can be additionally fixed with commercially available adhesives. The protection and hazard warning sections are available in pre-cut lengths of 1 metre or in roll lengths of 5 metres which can be cut to size with a sharp knife.

The steel barriers, wheel stop barriers and heavy-duty bollards protect inventory from collision damage and prevent accidents. They can be supplied in various dimensions. The curved steel tubes are epoxy-coated in yellow and have black signal striping. The collision protection range is completed by upright protectors and fencing planks. With a height of 400 mm, the U- and L-shaped upright protectors are even 100 mm higher than stipulated by the latest health and safety at work regulations in Germany (BGR 234), thus providing extra safety.

The quick drying, abrasion resistant and CFC-free spray paint is particularly resistant against increased operational demands such as frequent vehicle traffic and against petrol, oil, lubricants and most chemicals. For this reason, it is ideal for delineating shelving and racking areas, storage/pallet deposit areas and in-house traffic routes. The spray paint can be supplied in various colours and can be conveniently applied with the spray paint applicator which is also available in the BITO range. There are two spray line widths (from 50 to 75 mm and from 100 to 130 mm). The two rear wheels can be removed to allow line application close to shelving and racking, kerbs, walls etc. Flexible marking is also possible with self-adhesive hazard warning and marking tapes which can easily be applied to the floor with a tape dispenser.

To allow clear identification of storage goods, BITO have widened the existing range by various types of ticket holders and document pockets. Magnetic document pockets, document pockets with fixing flaps, hang-on document pockets with U-type bridge, protective ticket windows and self-adhesive ticket holders are part of the product range.

Pictures:



Edge buffering

Highly shock absorbing, BITO edge buffering protects personnel from injury and is also suited as light-duty collision protection. The round back buffer system is available in three variations.



Corner barrier

Corner barriers prevent impact damage from light and heavy-duty operational vehicles. They are safely mounted to the floor with anchor bolts.

Photos: BITO-Lagertechnik Bittmann GmbH

For reader enquiries:

BITO-Lagertechnik Bittmann GmbH
Monday - Thursday 7.30 am to 6 pm
Friday 7.30 am to 4.30 pm
Telephone: +49 (0)6753/122-0
Fax: +49 (0)6753/122-399

For journalist enquiries:

BITO-Lagertechnik Bittmann GmbH
Silvia Feder
Telephone: +49 (0)6753/122-217
Fax: +49 (0)6753/122-5840
Email: marketing@bito.de

Communication Consultants GmbH Engel & Heinz
Jan Peters
Jurastraße 8
70565 Stuttgart
Telephone: +49 (0)711.97893.15
Fax: +49 (0)711.97893.44
Email: peters@postamt.cc
This press report is also available at
<http://presseforum.cc> online